

Which Pressure Cushion? A Guide

				Pressure Assessment				Condition / Problem			
Category/Cushion G - I	Code	Client Weight Kg	Page Ref	Waterlow Score	Grade 1-4	Prevention	Healing	Pain	Soft Tissue	Skeleton	Positioning
G. At Risk											
Viscoflex	P361	<100	26	10+	1-2	▲	-	-	-	-	▲
Vicair Liberty PPS	VLPPS	<150	25	10+	1-2	▲	-	-	-	-	▲+
Prelude	PH295	<100	25	10+	1-2	▲+	▲	-	-	-	-
H. High Risk											
Dufoam	P341	<120	26	15+	1-3	▲▲	-	-	-	-	▲
Vicair Positioner 6	VAPP6	<150	31	15+	1-3	▲▲	▲	▲	▲	▲	▲
Vicair Adjuster 6	VADD6	<150	31	15+	1-3	▲▲	▲	▲	▲	▲	▲
I. Very High Risk											
Vicair Positioner 10	VAPP10	<200	31	15+	1-4	▲▲	▲▲	▲▲	▲▲	▲	▲▲
Vicair Adjuster 10	VADD10	<200	31	15+	1-4	▲▲	▲▲	▲▲	▲▲	▲▲	▲▲
Vicair Vector	VVR	<200	32	20+	1-4	▲▲	▲▲	▲▲	▲	▲▲	▲▲+

▲ Recommended ▲▲ Highly Recommended